

TOROCHKOV, V.Yu.
TOROCHKOV, V.Yu., aspirant.

Determining the angle of slope of the optical axis of aerial photographic apparatus during flight. Trudy MIIGAIK no.28:3-26 '57.
(MIRA 11:1)

1. Kafedra priborostroyeniya Moskovskogo instituta inzhenerov geodezii, aerofotos"yemki i kartografii.
(Aerial photogrammetry)

TOROCHKOV, V. Yu.

3(4)

PHASE I BOOK EXPLOITATION

SOV/2067

Moscow. Institut inzhenerov geodezii, aerofotos "yemki i kartografi

Trudy, vyp. 28 (Transactions of the Moscow Institute of Geodetic,
Aerial Survey and Cartographic Engineers, Nr 28) Moscow,
Geodezizdat, 1957. 110 p. 1,400 copies printed.

Ed.: A. I. Mazmishvili; Ed. of Publishing House: T. A. Shamarova;
Tech. Ed.: V. V. Romanova.

PURPOSE: This collection of articles is intended for geodesists,
photogrammetrists, and cartographers.

COVERAGE: This issue contains articles on geodetic surveying,
photogrammetry, and cartography. The articles devoted to geodetic
surveying discuss errors in precise leveling, an engineer level,
and the speed of light in a vacuum. In the field of photogrammet-
ry there are articles on camera tilt, the use of photos of two
scales in densifying control, and the differential method of
aerial triangulation. Two articles in cartography discuss

Card 1/3

Transactions of the Moscow (Cont.)

SOV/2067

Polish school atlases and the history of political administrative maps of the USSR. References accompany individual articles.

TABLE OF CONTENTS:

<u>Torochkov, V. Yu.</u> The Problem of Determining the Tilt Angle of the Optical Axis of an Aerial Camera During Flight	3
Dureyko, G. V. Engineer's Level of the Docent V.A. Belitsyn Design	27
Piskunov, M. Ye. Errors in Precise Leveling Caused by Incorrect Placement (Holding) of Invar Rods	41
Prilepin, M. T. The Most Probable Value of the Speed of Light in Vacuum	53
Fateyev, A. P. The Use of Aerial Photos of Two Scales for Densifying Horizontal and Vertical Control in Large Scale Surveys	61

Card 2/3

Transactions of the Moscow (Cont.)	SOV/2067	
Kirillov, A. M. Polish School Atlases in Geography		71
Fedoruk, G. D. The Differential Method of Aerial Triangulation Considering Side, Base and Azimuth Conditions		77
Bilich, Yu. S. Notes From the History of the Development of Political Administrative Maps of the USSR		105
AVAILABLE: Library of Congress		

MM/dfh
7-16-59

Card 3/3

40241
S/169/62/000/007/102/149
D228/D307

3.5140

AUTHOR:

Torochkov, V. Yu.

TITLE:

Probable characteristics of the horizontal components
of the wind's velocity and direction

PERIODICAL:

Referativnyy zhurnal, Geofizika, no. 7, 1962, 37, ab-
stract 7B207 (Tr. N.-i. in-ta gidrometeorol. pribor-
rostr., no. 10, 1961, 53-60)

TEXT: The changes in the wind's velocity and direction are analyzed
as random functions in order to determine the dynamic characteris-
tics of wind detectors. Proceeding from the assumption that the
process' numerous separate realizations can be replaced by one rea-
lization of sufficient duration, approximate correlations are de-
rived for the mathematical expectancy, the dispersion, the correla-
tive function, and the spectral density. Oxillograms of the re-
cordings of the air-flow parameters, which were made at the Mar-
khot'skiy Pass hydrometeorologic station, were used to calculate
these characteristics of the wind's velocity and flow. The wind

Card 1/3

S/169/62/000/007/102/149
D228/D307

Probable characteristics of ...

velocity was measured by a M-43(M-48) instrument with a three-bowl receiver. The rotation of the bowls was mechanically transmitted to a d.c. tachometric generator, whose voltage was registered on a magnetoelectric oscillograph. The oscillograph simultaneously recorded the voltages removed from the wire potentiometer, these being proportional to the wind direction. The potentiometer data-unit was mounted on a wind measuring device with an M-48a screw receiver. Both parameters were recorded at intervals of up to 10 minutes, during which all the regularities of the random processes under investigation were fully displayed. The recordings obtained for the wind's velocity and direction were deciphered at an interval of 1 second. As a result of this tables were compiled for the change in the characteristic magnitudes, taken as the basis of the calculation from the derived formulas. It follows from the calculations cited for the wind velocity's spectral function that the components of the wind velocity's structure, amounting to 93% of the total dispersion, are included in the frequency interval from 0 to 0.3 sec⁻¹; the components of the remaining 7% of the dispersion fall on the interval from 0.3 to ∞ sec⁻¹. Thus, for practical purposes the re-

Card 2/3

Probable characteristics of ...

S/169/62/000/007/102/149
D228/D307

quired range of the measured wind velocity frequencies is from 0 to 0.4 sec⁻¹. Analogous calculations of the spectral density function allowed it to be established that 75% of the dispersion is in the frequency range from 0 to 0.3 sec⁻¹, 85% is in the range from 0 to 0.6 sec⁻¹, and 90% is in the range from 0 to 1 sec⁻¹. The remaining 10% of the dispersion lies in the range from 1 to ∞ sec⁻¹. The wind's statistical characteristics allow the instrumental time constant, guaranteeing the necessary measurement precision, to be ascertained. In particular, it is necessary when measuring the direction to have a transmission band of ~1 sec⁻¹ for a 90% guaranteed determination of the dispersion. Having thus defined the instrument's range, it is possible to solve the problem of the characteristics of the random variations in the wind's parameters relative to their mean values. /-Abstracter's note: Complete translation. /

Card 3/3

TOROCHKOV, V.Yu., kand.tekhn.nauk

Gyroscopic damper of angular oscillations. Trudy MIIGAIK
no.44:88 '61. (MIRA 14:7)

1. Moskovskiy institut inzhenerov geodezii, aerofotos"yemki
i kartografii, kafedra priborostroyeniya.
(Gyroscope)
(Damping(Mechanics))

TOROCHKOV, V. Yu., kand.tekhn.nauk;

linear accelerations of the airplane and their effect on the accuracy of work of the vertical axis of the gyroscope with pendulum correction. Trudy MII GAIK no.44:89-96 '61.
(MIRA 14:7)

1. Moskovskiy institut inzhenerov geodezii, aerofotos"yemki i kartografii, kafedra priborostroyeniya.
(Gyroscope)

TOROCHKOV, V. Yu., kand.tekhn.nauk

Equation of the movement of the vertical axis of an aerial camera mounted in a gyrostabilizer. Izv.vys.ucheb.zav.; geod.i aerof. (MIRA 16:2)
no.4:147-154 '62.

1. Moskovskiy institut inzhenerov geodezii, aerofotos"yemki i kartografii.

(Aerial photogrammetry--Equipment and supplies)
(Gyroscope)

S/146/62/005/005/011/016
D201/D308

AUTHOR: Torochkov, V. Yu.

TITLE: Inertia of the electrolytic reference pick-up

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Proborostro-
yeniye, v. 5, no. 5, 1962, 85-89

TEXT: The author gives the method and the results of experimental investigations into the dynamics of operation of an electrolytic pick-up for the correction of the gyro vertical. The analysis was carried out for its linear part of operation by determining the static characteristic of the dependence of correction current on the angle of the pick-up. All measurements were made at ambient temperature +19°C. Numerical values of the pick-up time constant were obtained from the oscillograms of transients and it was found that this time constant had the same order of magnitude as that of the vertical of the gyro itself and hence affects substantially the specific velocity of the latter. There are 3 figures.

Card 1/2

Inertia of the ...

S/146/62/005/005/011/016
D201/D308

ASSOCIATION: Moskovskiy institut inzhenerov geodezii, aerofotogrammetrii i kartografii (Moscow Institute of Geodesy, Aerial Survey and Cartography Engineers)

SUBMITTED: December 20, 1961

Card 2/2

TOROCHKOV, V.Yu.

Selecting the optimum correction speed of a gyrovertical. Izv.
vys. ucheb. zav.; prib. 6 no.6:71-76 '63. (MIRA 17:3)

1. Moskovskiy institut inzhenerov geodezii, aerofotos"uemki i
kartografii. Rekomendovana kafedroy priborostroyeniya.

TOROCHKOV, V.Yu.

Law of the motion of rotating receivers of air current velocity. Trudy
NIIGMP no.11:3-6 '63. (MIRA 18:1)

Recording wind direction at an automatic meteorological station for
forecasting service. Ibid.:7-12

TOROCHKOV, V.Yu.

Possibility of recording parameters of wind on one tape with one
pen. Trudy NIIGMP no.12:72-77 '64. (MIRA 18:4)

"APPROVED FOR RELEASE: 08/31/2001


CIA-RDP86-00513R001756320016-0

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001756320016-0"

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001756320016-0



APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001756320016-0"

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001756320016-0

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001756320016-0"

L 08855-67 LWT(1) GW
ACC NR: AP6010782

SOURCE CODE: UR/0146/66/009/001/0137/0140

AUTHOR: Torochkov, V. Yu.

ORG: Moscow Institute of Geodetic, Air-Surveying, and Mapping Engineers
(Moskovskiy institut inzhenerov geodezii, aerofotos"yemki i kartografii)

TITLE: Gyroscopic instrument for measuring integral direction of an aerodynamic-moment vector

SOURCE: IVUZ. Priborostroyeniye, v. 9, no. 1, 1966, 137-140

TOPIC TAGS: aerodynamic moment, aerodynamic R and D, meteorology

ABSTRACT: A new gyroscopic device intended for measuring integral direction of an aerodynamic-moment vector is described. An air flow acting upon wind vane 1 produces torque M_a (see figure) which causes precession of the internal gimbal. Precession-angle sensor PAS_1 produces a signal proportional to the angle of rotation of the internal gimbal. The signal is applied to torque sensor TS_1 which causes precession of the external gimbal. The latter precession is always so directed that vane 1 is set along the vector of air velocity V . Torque sensor TS_2 is intended to


Card 1/2

UDC: 531.383

L 08855-67

ACC NR: AP6010782

ensure the stability of operation; sensor PAS_2 supplies information on the angular position of vane 1. By means of differential equations describing the gyro motion and a transfer function of the external-gimbal angle depending on M_a , it is proven that the internal-gimbal angle is truly proportional to the aerodynamic moment. Orig. art. has: 3 figures and 14 formulas.



SUB CODE: 04, 17 / SUBM DATE: 02Mar65 / ORIG REF: 001

Card 2/2

ACC NR: AP6035889

SOURCE CODE: UR/0413/66/000/020/0129/0129

INVENTOR: Torochkov, V. Yu.; Morozov, B. I.;

ORG: none

TITLE: Gyrotheodolite, Class 42, No. 187328. [announced by the Moscow Institute of Engineers of Geodesy, Aerial Photography, and Cartography (Moskovskiy institut inzhenerov geodezii, aerofotoc"emki i kartografii)]

SOURCE: Izobreneniya, promyshlennyye obraztzy, tovarnyye znaki, no. 20, 1966, 129

TOPIC TAGS: optic theodolite, surveying instrument, geodetic instrument, gyrotheodolite, theodolite

ABSTRACT: An Author Certificate has been issued for a gyrotheodolite. The device consists of a two-stage gyroscope mounted on two torsion supports, an autocollimation system, a theodolite, and a stopping system. To obtain a high precision reading of the geographic meridian, the sensitive element is hermetically sealed in a container

UDC: 621-752.4

Card 1/3

ACC NR. AP6035889




Fig. 1. Gyrotheodolite

1 - Sensitive element; 2 - autocollimation telescope; 3 - movable forks.

Card 2/3

ACC NR: AP6035889

suspended in fluid. This container is connected with two movable forks which limit the rotation angle of the torsion supports. This angle is transmitted through the autocollimation telescope to the reading system of the theodolite. (see Fig. 1).
Orig. art. has: 1 figure.

SUB CODE: 08/ SUBM DATE: 10Apr65/ ATD PRESS: 5106

17/

Card: 3/3

ACC NR: AT7001804 (H) SOURCE CODE: UR/2778/66/000/015/0003/0006

AUTHOR: Torochkov, V. Yu.

ORG: none

TITLE: Integrating wind vane

SOURCE: Leningrad. Nauchno-issledovatel'skiy institut gidrometeorologicheskogo priborostroyeniya. Trudy, no. 15, 1966, 3-6


TOPIC TAGS: ^{wind direction} anemometer, ^{aerodynamic moment, gyroscope motion equation} meteorological instrument, wind vane, wind measurement,

ABSTRACT: The article describes an integrating wind vane (see Author Certificate No. 164991) which gives the wind direction averaged over 10 minute intervals. In Fig. 1, 1 is the wind vane rigidly connected to the rotation axis of outer frame 2 of a three-stage gyroscope. The rotation axis of the gyroscope 3 and the rotation axis of the inner frame 4 are in the horizontal plane. When the wind acts on the vane, the aerodynamic moment is transferred to the rotational axis of the outer frame, causing the precession of the inner frame, whose axis turns the armature of an angle-measuring device 5 (such as a rotating transformer, Selvyn motor, or potentiometer). The signal from the latter acts on effector 6 connected with the inner frame causing the latter to process and the plane of the vane becomes

Card 1/3 UDC: none

ACC NR: AT7001804

Fig. 1



Card 2/3

ACC NR: AT7001804

aligned in the direction of the flow, so that the aerodynamic moment produced by the vane is zero. At this moment, the inner frame is rotated by a certain angle. In order to prevent oscillations about the equilibrium position, the effector 7 produces a moment which is proportional to the angle of rotation of the inner frame and is opposite to the aerodynamic moment. The accuracy of the instrument is from 1 to 3°. The mathematical treatment consists of solving the gyroscope equations, and it is shown that the angle α of rotation of the outer frame

$$\alpha = \frac{k}{Hc} \int M_a dt, \quad (10)$$

is actually proportional to the aerodynamic moment M_a on the vane. The coefficient before the integral is the integration constant which may change over a wide range--from a few minutes to several tens of minutes. Orig. art. has: 2 figures and 10 equations. [06]

SUB CODE: 04/7/SUBM DATE: none/ ORIG REF: 001/ ATD PRESS: 5117

SZANTO, Andras; TOROCSESNYIKOV, N. Sz. [Tororeshnikov, N.S.]

Adsorption properties of zeolites on the Csodi Hill. Magyar Kem. Lap
19 no.6:297-298 June '64.

1. Chair of Inorganic Chemical Technology, Mendeleev College of
Chemical Technology, Moscow.

VALER M., FARKAS L., TOHOCSTIK J.

Majfuctios probak klertokelese arsenobenzol-kateles folyaman.
[Evaluation of liver function tests in the course of arsenamine
therapy] Borgyogy. veter. szemle 4:6 June 50 p. 190-4

1. Peterffy Sandor Street Dispensary of the National Institute for
Social Insurance (Director -- Dr. Sandor Balassa).

CHNL 19, 5, Nov. 50

TOROCSEK, J.

VALER M., TOROCSEK J.

Szerves jodszennitany injekcioja utani nitritoid crisis.
Nitritoid crisis after injection of organic iodine pre-
paration/ Orv. hetil. 91:17 23 Apr 50. p. 539-40.

Skin and Venereal Diseases Clinic (Director -- Dr. Ferenc
Földvári), Budapest University.

CIML. 19, 2, Aug. 50

TOROCsIK, J.

VALER, M.; TOROCsIK, J.

Nitritoid crisis after injection of organic iodine preparation.
Orv.hetil. 91 no.17:539-540 23 Ap '50. (CML 19:2)

1. Skin and Venereal Diseases Clinic (Director -- Dr. Ferenc Foldvari), Budapest University.

ALMASSY, Tibor; TOROCSIK, Laszlo, gepeszmernok

A new Hungarian invention; the uniform motor vehicle pneumatic brake valve. Auto motor 18 no.5:5-6 Mr '65.

1. Csepel Automobile Factory, Budapest (for Torocsik).

TOROCSIK, Laszlo

Why have the two-stroke diesel engines become so popular?
Jarmu mezo gep 5 no.5/6:143-148 '58.

TOROCSEK, L.

The Crepel T 213c motor. p.232

JARMUVEK MEZOGAZDASAGI GEPEK. (Gepipari Tudományos Egyesület)
Budapest, Hungary
Vol. 5, no.7/8, 1958

Monthly List of East European Accessions (EEAI) LC., Vol. 8, no.7, July 1959
Uncl.

TOROCSIK, Laszlo, okleveles gepeszmernok

In which direction should we develop the air brakes of motor vehicles? Jarmu mezo gep 10 no.1:22-29 Ja '63.

TOROCSIK, Laszlo

The way of developing the Csepel engine range. Jarnau mozo
gep 10 no.6:223-230 Jo '63.

1. Csepel Autogyar Gyartmanyszerkesztési Foosztaly osztalyve-
zetoje.

TOROCZKAY, Gyorgyne, dr.

Periodical reviews. Magy ep ipar 12 no.5:238-239 '63.

89016

S/020/60/135/004/009/037
B019/B077

24.4500 (1160, 1345, 1534)

AUTHOR: Logunov, A. A., Tavkhelidze, A. N., Torodov, I. T., and Chernikov, N. A.

TITLE: Majorization of Feynman Graphs

PERIODICAL: Doklady Akademii nauk SSSR, 1960, Vol. 135, No. 4, pp. 801 - 804

TEXT: The authors present the results of a further development of the idea of the majorization of Feynman graphs as suggested by Nambu and Symanzik (Refs. 1, 2). Every Feynman graph D represents a quadratic form Q_D of the external momenta p_a . On the condition that the law of conservation holds for the four-momenta k in the inner lines of the graph k_i are linear functions of p_a and of the independent inner momenta t_i . If the following relation is valid for $K_D(x, p, t)$:

Card 1/4

89016

Majorization of Feynman Graphs

S/020/60/135/004/009/037
B019/B077

$$K_D(\alpha, p, t) = \sum_{v=1}^l \alpha_v (k_v^2 - m_v^2) - \sum_{i,j} a_{ij} t_i t_j - 2 \sum_i b_i t_i + c \quad (1),$$

where l is the number of inner lines of the graph, then the quadratic form can be determined from:

$$Q_D(\alpha, p) = \begin{vmatrix} a_{ij} & b_i \\ b_j & c \\ a_{ij} \end{vmatrix} \quad (2)$$

On the basis of known results, the following lemma and two more theorems are proved: lemma: the quadratic form Q_D is equal to the least value of the quadratic form K_D if the vectors k_v fulfill the law of conservation of momentum in every unit of the graph, and if they assume a value from

Card 2/4

89016

Majorization of Feynman Graphs

S/020/60/135/004/009/037
B019/B077

the quantity P of all vectors of the type $p = \sum_a A_a p_a$ (A_a are real numbers).
Theorem 1 reads as follows: Any graph can be majorized by any of its sub-graphs. Theorem 2 reads as follows: If a graph D contains a polygon of $(n+1)$ sides which has the mass M on n sides and the mass $m \leq M$ on one side, a new graph D' will be obtained if the change of mass is of the forms $M \rightarrow m$ and $m \rightarrow M$ with

$$G(D') \subseteq G(D).$$

As an example the authors investigated the amount R of all graphs with a strong coupling in the pion-nucleon part. In every intersection of this graph only three lines do combine: 2 or 0 baryon lines, and 1 or 3 meson lines. It is shown that any graph of the sub-part R^{**} can be majorized by one of the two diagrams shown in Fig. 2. R^{**} is that sub-part of R where a nucleon polygon and pion lines appear in its graphs, and where the external points a and b are characteristic points. N. N. Bogolyubov is thanked for a valuable discussion. There are 2 figures and 5 references: 1 Soviet, 3 US, and 1 Italian.

Card 3/4

89016

Majorization of Feynman Graphs

S/020/60/135/004/009/037
B019/B077

ASSOCIATION: Ob'yedinennyy institut yadernykh issledovaniy (Joint
Institute of Nuclear Research)

PRESENTED: June 21, 1960, by N. N. Bogolyubov, Academician

SUBMITTED: June 7, 1960




Fig. 2

Card 4/4

4

36

PAIPAR
WOOD INDUSTRY
VOL 1-1951
No. 3, Feb.

J. Hapla
and A. Török:
Programming in the plywood factory
at Szeged, Hungary

81-85

COMMON ELEMENTS

COMMON VARIABLE INDEX

ASAC-SLA METALLURGICAL LITERATURE CLASSIFICATION

1950-1951

1952-1953

1954-1955

1956-1957

1958-1959

1960-1961

1962-1963

1964-1965

1966-1967

1968-1969

1970-1971

1972-1973

1974-1975

1976-1977

1978-1979

1980-1981

1982-1983

1984-1985

1986-1987

1988-1989

1990-1991

1992-1993

1994-1995

1996-1997

1998-1999

2000-2001

2002-2003

2004-2005

2006-2007

2008-2009

2010-2011

2012-2013

2014-2015

2016-2017

2018-2019

2020-2021

2022-2023

2024-2025

2026-2027

2028-2029

2030-2031

2032-2033

2034-2035

2036-2037

2038-2039

2040-2041

2042-2043

2044-2045

2046-2047

2048-2049

2050-2051

2052-2053

2054-2055

2056-2057

2058-2059

2060-2061

2062-2063

2064-2065

2066-2067

2068-2069

2070-2071

2072-2073

2074-2075

2076-2077

2078-2079

2080-2081

2082-2083

2084-2085

2086-2087

2088-2089

2090-2091

2092-2093

2094-2095

2096-2097

2098-2099

2100-2101

2102-2103

2104-2105

2106-2107

2108-2109

2110-2111

2112-2113

2114-2115

2116-2117

2118-2119

2120-2121

2122-2123

2124-2125

2126-2127

2128-2129

2130-2131

2132-2133

2134-2135

2136-2137

2138-2139

2140-2141

2142-2143

2144-2145

2146-2147

2148-2149

2150-2151

2152-2153

2154-2155

2156-2157

2158-2159

2160-2161

2162-2163

2164-2165

2166-2167

2168-2169

2170-2171

2172-2173

2174-2175

2176-2177

2178-2179

2180-2181

2182-2183

2184-2185

2186-2187

2188-2189

2190-2191

2192-2193

2194-2195

2196-2197

2198-2199

2200-2201

2202-2203

2204-2205

2206-2207

2208-2209

2210-2211

2212-2213

2214-2215

2216-2217

2218-2219

2220-2221

2222-2223

2224-2225

2226-2227

2228-2229

2230-2231

2232-2233

2234-2235

2236-2237

2238-2239

2240-2241

2242-2243

2244-2245

2246-2247

2248-2249

2250-2251

2252-2253

2254-2255

2256-2257

2258-2259

2260-2261

2262-2263

2264-2265

2266-2267

2268-2269

2270-2271

2272-2273

2274-2275

2276-2277

2278-2279

2280-2281

2282-2283

2284-2285

2286-2287

2288-2289

2290-2291

2292-2293

2294-2295

2296-2297

2298-2299

2300-2301

2302-2303

2304-2305

2306-2307

2308-2309

2310-2311

2312-2313

2314-2315

2316-2317

2318-2319

2320-2321

2322-2323

2324-2325

2326-2327

2328-2329

2330-2331

2332-2333

2334-2335

2336-2337

2338-2339

2340-2341

2342-2343

2344-2345

2346-2347

2348-2349

2350-2351

2352-2353

2354-2355

2356-2357

2358-2359

2360-2361

2362-2363

2364-2365

2366-2367

2368-2369

2370-2371

2372-2373

2374-2375

2376-2377

2378-2379

2380-2381

2382-2383

2384-2385

2386-2387

2388-2389

2390-2391

2392-2393

2394-2395

2396-2397

2398-2399

2400-2401

2402-2403

2404-2405

2406-2407

2408-2409

2410-2411

2412-2413

2414-2415

2416-2417

2418-2419

2420-2421

2422-2423

2424-2425

2426-2427

2428-2429

2430-2431

2432-2433

2434-2435

2436-2437

2438-2439

2440-2441

2442-2443

2444-2445

2446-2447

2448-2449

2450-2451

2452-2453

2454-2455

2456-2457

2458-2459

2460-2461

2462-2463

2464-2465

2466-2467

2468-2469

2470-2471

2472-2473

2474-2475

2476-2477

2478-2479

2480-2481

2482-2483

2484-2485

2486-2487

2488-2489

2490-2491

2492-2493

2494-2495

2496-2497

2498-2499

2500-2501

2502-2503

2504-2505

2506-2507

2508-2509

2510-2511

2512-2513

2514-2515

2516-2517

2518-2519

2520-2521

2522-2523

2524-2525

2526-2527

2528-2529

2530-2531

2532-2533

2534-2535

2536-2537

2538-2539

2540-2541

2542-2543

2544-2545

2546-2547

2548-2549

2550-2551

2552-2553

2554-2555

2556-2557

2558-2559

2560-2561

2562-2563

2564-2565

2566-2567

2568-2569

2570-2571

2572-2573

2574-2575

2576-2577

2578-2579

2580-2581

2582-2583

2584-2585

2586-2587

2588-2589

2590-2591

2592-2593

2594-2595

2596-2597

2598-2599

2600-2601

2602-2603

2604-2605

2606-2607

2608-2609

2610-2611

2612-2613

2614-2615

2616-2617

2618-2619

2620-2621

2622-2623

2624-2625

2626-2627

2628-2629

2630-2631

2632-2633

2634-2635

2636-2637

2638-2639

2640-2641

2642-2643

2644-2645

2646-2647

2648-2649

2650-2651

2652-2653

2654-2655

2656-2657

2658-2659

2660-2661

2662-2663

2664-2665

2666-2667

2668-2669

2670-2671

2672-2673

2674-2675

2676-2677

2678-2679

2680-2681

2682-2683

2684-2685

2686-2687

2688-2689

2690-2691

2692-2693

2694-2695

2696-2697

2698-2699

2700-2701

2702-2703

2704-2705

2706-2707

2708-2709

2710-2711

2712-2713

2714-2715

2716-2717

2718-2719

2720-2721

2722-2723

2724-2725

2726-2727

2728-2729

2730-2731

2732-2733

2734-2735

2736-2737

2738-2739

2740-2741

2742-2743

2744-2745

2746-2747

2748-2749

2750-2751

2752-2753

2754-2755

2756-2757

2758-2759

2760-2761

2762-2763

2764-2765

2766-2767

2768-2769

2770-2771

2772-2773

2774-2775

2776-2777

2778-2779

2780-2781

2782-2783

2784-2785

2786-2787

2788-2789

2790-2791

2792-2793

2794-2795

2796-2797

2798-2799

2800-2801

2802-2803

2804-2805

2806-2807

2808-2809

2810-2811

2812-2813

2814-2815

2816-2817

2818-2819

2820-2821

2822-2823

2824-2825

2826-2827

2828-2829

2830-2831

2832-2833

2834-2835

2836-2837

2838-2839

2840-2841

2842-2843

2844-2845

2846-2847

2848-2849

2850-2851

2852-2853

2854-2855

2856-2857

2858-2859

2860-2861

2862-2863

2864-2865

2866-2867

2868-2869

2870-2871

2872-2873

2874-2875

2876-2877

2878-2879

2880-2881

2882-2883

2884-2885

2886-2887

2888-2889

2890-2891

2892-2893

2894-2895

2896-2897

2898-2899

2900-2901

2902-2903

2904-2905

2906-2907

2908-2909

2910-2911

2912-2913

2914-2915

2916-2917

2918-2919

2920-2921

2922-2923

2924-2925

2926-2927

2928-2929

2930-2931

2932-2933

2934-2935

2936-2937

2938-2939

2940-2941

2942-2943

2944-2945

2946-2947

2948-2949

2950-2951

2952-2953

2954-2955

2956-2957

2958-2959

2960-2961

2962-2963

2964-2965

2966-2967

2968-2969

2970-2971

2972-2973

2974-2975

2976-2977

2978-2979

2980-2981

2982-2983

2984-2985

2986-2987

2988-2989

2990-2991

2992-2993

2994-2995

2996-2997

2998-2999

3000-3001

3002-3003

3004-3005

3006-3007

3008-3009

3010-3011

3012-3013

3014-3015

3016-3017

3018-3019

3020-3021

3022-3023

3024-3025

3026-3027

3028-3029

3030-3031

3032-3033

3034-3035

3036-3037

3038-3039

3040-3041

3042-3043

3044-3045

3046-3047

3048-3049

3050-3051

3052-3053

3054-3055

3056-3057

3058-3059

3060-3061

3062-3063

3064-3065

3066-3067

3068-3069

3070-3071

3072-3073

3074-3075

3076-3077

3078-3079

3080-3081

3082-3083

3084-3085

3086-3087

3088-3089

3090-3091

3092-3093

3094-3095

3096-3097

3098-3099

3100-3101

3102-3103

3104-3105

3106-3107

3108-3109

3110-3111

3112-3113

3114-3115

3116-3117

3118-3119

3120-3121

3122-3123

3124-3125

3126-3127

3128-3129

3130-3131

3132-3133

3134-3135

3136-3137

3138-3139

3140-3141

3142-3143

3144-3145

3146-3147

3148-3149

3150-3151

3152-3153

3154-3155

3156-3157

3158-3159

3160-3161

3162-3163

3164-3165

3166-3167

3168-3169

3170-3171

3172-3173

3174-3175

3176-3177

3178-3179

3180-3181

3182-3183

3184-3185

3186-3187

3188-3189

3190-3191

3192-3193

3194-3195

3196-3197

3198-3199

3200-3201

3202-3203

3204-3205

3206-3207

3208-3209

3210-3211

3212-3213

3214-3215

3216-3217

3218-3219

3220-3221

3222-3223

3224-3225

3226-3227

3228-3229

3230-3231

3232-3233

3234-3235

3236-3237

3238-3239

3240-3241

3242-3243

3244-3245

3246-3247

3248-3249

3250-3251

3252-3253

3254-3255

3256-3257

3258-3259

3260-3261

3262-3263

3264-3265

3266-3267

3268-3269

3270-3271

3272-3273

3274-3275

3276-3277

3278-3279

3280-3281

3282-3283

3284-3285

3286-3287

3288-3289

3290-3291

3292-3293

3294-3295

3296-3297

3298-3299

3300-3301

3302-3303

3304-3305

3306-3307

3308-3309

3310-3311

3312-3313

3314-3315

3316-3317

3318-3319

3320-3321

3322-3323

3324-3325

3326-3327

3328-3329

3330-3331

3332-3333

3334-3335

3336-3337

3338-3339

3340-3341

3342-3343

3344-3345

3346-3347

3348-3349

3350-3351

3352-3353

3354-3355

3356-3357

3358-3359

3360-3361

3362-3363

3364-3365

3366-3367

3368-3369

3370-3371

3372-3373

3374-3375

3376-3377

3378-3379

3380-3381

3382-3383

3384-3385

3386-3387

3388-3389

3390-3391

3392-3393

3394-3395

3396-3397

3398-3399

3400-3401

3402-3403

3404-3405

3406-3407

3408-3409

3410-3411

3412-3413

3414-3415

3416-3417

3418-3419

3420-3421

3422-3423

3424-3425

3426-3427

3428-3429

3430-3431

3432-3433

3434-3435

3436-3437

3438-3439

3440-3441

3442-3443

3444-3445

3446-3447

3448-3449

3450-3451

3452-3453

3454-3455

3456-3457

3458-3459

3460-3461

3462-3463

3464-3465

3466-3467

3468-3469

3470-3471

3472-3473

3474-3475

3476-3477

3478-3479

3480-3481

3482-3483

3484-3485

3486-3487

3488-3489

3490-3491

3492-3493

3494-3495

3496-3497

3498-3499

3500-3501

3502-3503

3504-3505

3506-3507

3508-3509

3510-3511

3512-3513

3514-3515

3516-3517

3518-3519

3520-3521

3522-3523

3524-3525

3526-3527

3528-3529

3530-3531

3532-3533

3534-3535

3536-3537

3538-3539

3540-3541

3542-3543

3544-3545

3546-3547

3548-3549

3550-3551

3552-3553

3554-3555

3556-3557

3558-3559

3560-3561

3562-3563

3564-3565

3566-3567

3568-3569

3570-3571

3572-3573

3574-3575

3576-3577

3578-3579

3580-3581

3582-3583

3584-3585

3586-3587

3588-3589

3590-3591

3592-3593

3594-3595

3596-3597

3598-3599

3600-3601

3602-3603

3604-3605

3606-3607

3608-3609

3610-3611

3612-3613

3614-3615

3616-3617

3618-3619

3620-3621

3622-3623

3624-3625

3626-3627

3628-3629

3630-3631

3632-3633

3634-3635

3636-3637

3638-3639

3640-3641

3642-3643

3644-3645

3646-3647

3648-3649

3650-3651

3652-3653

3654-3655

3656-3657

3658-3659

3660-3661

3662-3663

3664-3665

3666-3667

3668-3669

3670-3671

3672-3673

3674-3675

3676-3677

3678-3679

3680-3681

36

32721

H/008/62/000/001/002/002
B122/B102

26.2231

AUTHORS: Németh, G., Raszl, K., Szabados, L., Szeghő, L., Török, A.

TITLE: Steady-state heat distribution in a cylindrical-symmetric unit cell of the active zone of heterogeneous reactors in the case of convective heat transfer

PERIODICAL: Energia és Atomtechnika¹⁵, no. 1, 1962, 41 - 46

TEXT: Part II. Determination of A_n coefficients. In Part I it was found that the solution of differential equation $T(r,z)$ was given by the sum of Laplace's equation (in the form of an infinite series) and of Poisson's equation (in closed form): $T(r,z) = T_0(r,z) + T_1(r,z)$ (51). In the solution of this differential equation the unknown coefficients A_n ($n = 0, 1, 2, 3, \dots$) arise. A practicable way of calculating these coefficients is the application of equation systems with an infinite number of unknowns. (Reference is made here and in the following to L. V. Kantorovich and V. I. Krylov: Approximate methods of higher analysis (Hungarian edition, Budapest, 1955)). By this method the following two

Card 1/4

32721

H/008/62/000/001/002/002

B122/B102

Steady-state heat distribution...

equations are found to yield the system of equations with an infinite number of unknowns for the determination of the A_n :

$$A_0 = B_0 - \sum_{n=1}^{\infty} A_n \frac{r_n}{1B_n} [1 - (-1)^n] \quad (n = 1, 2, 3, \dots) \quad (73) \text{ and}$$

$$A_k = \frac{B_k}{p_k} - \frac{1}{p_k} \sum_{n=1}^{\infty} A_n \frac{2r_n \beta_n}{1(\beta_n^2 - \beta_k^2)} [1 - (-1)^{n+k}] \quad (74) \quad (n = 1, 2, \dots, (k-1), (k+1), \dots)$$

Coefficients B_0 and B_k are computable Fourier coefficients of $f(z)$. By substitution of $A_k p_k = X_k$ into equation (74), this equation is transformed to a system of entirely regular equations having (according to a thesis of Kantorovich-Krylov) but one solution which can be determined by the method of successive approximations. $B_k = O(1/k^2)$; from a thesis of the above Soviet authors it follows that $X_k = O(1/k^2)$, for the unique solution of the entirely regular equation system tends toward zero with

Card 2/4

X

Steady-state heat distribution...

32721
H/008/62/000/001/002/001
B122/B102

$k \rightarrow \infty$. In zeroth approximation $A_k^{(0)} = 0$, in first $A_k^{(1)} = B_k/P_k$. Coefficients A_k and B_k have been computed with data given in Part I and are plotted as functions of k . In the following the differential equation of heat transfer for an infinitely long fuel element ($\partial T^2/\partial z^2$) is solved. Against the correct solution of the differential equation of temperature distribution in the fuel element $T(r, z)$ and of the longitudinal temperature distribution $t(z)$ in the coolant developed in Part I, axial heat transfer (in direction z) is neglected here. For this case, $\partial^2 T^*/\partial z^2 = 0$. This neglect considered, the corresponding approximate solutions $T^*(r, z)$ and $t^*(z)$ are obtained. Correct and approximate solutions are compared in the following. From graphs for the temperature distribution in three given cross sections of the fuel element and those for the longitudinal temperature distribution in the coolant, it is evident that differences between results of accurate and approximate calculations amount to a few % for the former, and only some hundredths of % for the latter. The error resulting from the neglect of axial heat transfer increases with the cross section of the fuel element.

Card 3/4

32721

H/008/62/000/001/002/002

B122/B102

Steady-state heat distribution...

and with its thermal conductivity, and decreases with its length. If the slenderness ratio of the fuel element $2Ro/l > 0.05$, and the thermal conductivity of its material $\lambda > 10$ kcal/m, the more elaborate method is commendable, especially if the heat-flux density on the mantle is high. Differential equations have been solved for bare fuel elements only. There are 9 figures and 13 references: 12 Soviet-bloc and 1 non-Soviet-bloc.

ASSOCIATION: Központi Fizikai Kutató Intézet (Central Research Institute of Physics)

Card 4/4

X

NEMET, G.; RASZL, K.; SZAVADOS, L.; SZEGHO, L.; TOROK, A.

Steady temperature distribution in the roll symmetrical cell of the active zone of heterogeneous reactors in case of convective heat transmission. Energia es atom 14 no.12:560-565 D '61.

83323

H/008/60/000/009/002/002
B009/B057

11.3000

AUTHORS:

Szentgyörgyi, István, Török, Antal, Szabados, László

TITLE:

Examination of Heat Transfer of Suspensions

PERIODICAL:

Energia és Atomtechnika, 1960, No. 9, pp. 388-395

TEXT: Some organic compounds or their mixtures (diphenyl, diphenyl, terphenyl, etc.) exhibit properties that qualify them for use as reactor coolants. Their heat-transfer capacity, however, is considerably lower than that of the conventional coolant, water. To improve the heat-transfer coefficient of these liquids, the authors suspended in them solids of high heat-transfer capacity and attained an improvement of 70% by an addition of 30 per cent by weight. The heat-transfer coefficient was calculated from Nusselt's empirical function. Heat transfer, however, also depends on viscosity. Since the viscosity of the suspension increases with respect to that of the pure liquid, the effect of the higher heat-transfer coefficient is balanced, and above a certain concentration the heat transfer of the suspension even decreases. In the graphite-diphenyl test suspension this heat transfer maximum appeared at 90°C and with a graphite addition.

Card 1/2

83323

Examination of Heat Transfer of Suspensions

H/008/60/000/009/002/002

B009/B057

of about 25 wt%. The relative viscosity versus concentration is plotted in Fig. 2 according to both Hatschek's and Orr's and Dalla Valle's formulas (Refs. 6 and 11, respectively). The experimental setup was essentially a single-tube heat exchanger. American researchers made similar experiments on graphite and aluminum suspensions (Ref. 11). For the evaluation of the test results, constants suggested by Bayer-Leverkusen, for the same mixture of diphenyl-oxide and diphenyl were substituted in the formula of the heat-transfer coefficient. The use of suspensions as reactor coolants is associated with the following disadvantages: higher power consumption of the circulating pump, higher wear and tear of pumps, metal parts, etc. The use of suspensions as reactor coolants would not be advisable even if the heat transfer could be multiplied thereby. There are 10 figures, 2 tables, and 14 references: 3 Soviet, 2 US, 1 German, 1 French, and 3 Hungarian.

ASSOCIATION: Központi Fizikai Kutató Intézet
(Central Research Institute of Physics)

Card 2/2

SZENTGYORGYI, Istvan; TOROK, Antal; SZABADOS, Laszlo

Investigations of the heat transfer properties of suspensions. Koz
fiz kozl MTA 8 no.2/3:115-129 '60. (EEAI 10:4)

1. A Magyar Tudomanyos Akademia Kozponti Fizikai Kutato Intozete,
Reaktorfizikai es Technikai Laboratorium
(Suspensions) (Nuclear reactors)
(Biphenyl) (Terphenyl)

NEMETH, Geza; RASZL, Karoly; SZABADOS, Laszlo; SZEGHO, Laszlo; TOROK, Antal

Stationary heat distribution in the cylinder-symmetric unit cell of the active zone of heterogeneous nuclear reactors in case of convective heat transfer. Koz fiz kozl MTA 9 no.1/2:3-23 '61.

1. Magyar Tudomanyos Akademia, Kozponti Fizikai Kutato Intezete, Reaktorfizikai es Technikai Laboratorium.

(Nuclear reactors)

S/262/62/000/007/001/016
1007/1207

AUTHOR: Németh, Géza, Raszl, Károly, Szabados László, Szeghő, László and Torok, Antal

TITLE: Stable temperature distribution (in case of convective heat transfer) in a cylindrical fuel cell of the active zone of a heterogeneous nuclear reactor

PERIODICAL: Referativnyy zhurnal, otdel'nyy vypusk. 42. Silovyye ustanovki, no. 7, 1962, 4, abstract 42.7.13. "Magyar tud. akad. Közp. fiz. kutató int. közl.", v. 9, no. 1-2, 1961, 3-23, III, IX [Abstracter's note: Original language Hungarian].

TEXT: A solution is presented of the differential equation for convective heat transfer in finite and infinite fuel elements. For exact solutions the coolant temperature can not be reproduced without knowing the temperature distribution in each fuel element. For the solution of the given equation the temperature distribution along the fuel element is assumed to be unknown. A comparison is given between exact and approximate solutions. There are 9 figures and 13 references.

[Abstracter's note: Complete translation.]

Card 1/1

TOROK, Attila; SOMOGYI, Istvan

A new method and device for measuring reaction time: the
"frequency reactometer." Magy pszichol szemle 19 no.4:420-
425 '62.

EXCERPTA MEDICA Sec 9 Vol 13/4 Surgery Apr 59

1941. EXPERIMENTS ON HEALING OF STERILE ANASTOMOSES AND THEIR BLOOD SUPPLY - Experimentelle Untersuchungen über die Heilung der sterilen Anastomosen und ihre Blutversorgung - Török B., Sas J. and Karlinger T. Inst. für Chir. Anat. und Operationslehre, Med. Univ., Pécs - ZBL. CHIR. 1958, 83/32 (1576-1582) Illus. 6

In dogs a study was made of the healing and blood supply of sterile coagulative gastrointestinal anastomoses and of gastrointestinal anastomoses made with a single seromuscular suture in open surgery. The two methods ensure adequate blood supply and healing without complications. Histological sections and transparent preparations showed that the method studied gives considerably better results than the classical anastomoses with continuous sutures in two layers.

THIS PAGE FUNCTION FOLLOWING

EXCERPTA MEDICA Sec 9 Vol 13/7 Surgery July 59

3 in

3943. THE RESECTED STOMACH. EXPERIMENTAL ENDOSCOPIC INVESTIGATIONS OF THE DEVELOPMENT OF THE POSTOPERATIVE CONDITIONS IN THE GASTRIC STUMP - Der resezierte Magen. Experimentelle endoskopische Untersuchungen über die Gestaltung der postoperativen Verhältnisse am Magenstumpf - Török B. and Karlinger T. Inst. für Chir. Anat. und Operationslehre, Med. Univ., Pécs - BRUNS' BEITR. KLIN. CHIR. 1958, 197/1 (1-10) Tables 2 illus. 2

The existing lack of knowledge concerning the local consequences of gastric resection inspired a number of thorough and continuous experiments in animals, as for obvious reasons no such experiments in human subjects are possible. Experiments in 13 animals with the Mann-Bollmann fistula proved to be valueless, but studies with tubovalvular gastrostomy permitted useful observations. The fact that a large series of animals were used made it possible to distinguish between sequelae that occur occasionally and constant sequelae; it is stated that in clinical studies all cases of resection should be included. Unfortunately, prolonged follow-up of human cases is often impossible, because so many patients fail to cooperate. So far the investigations have yielded the following results: After the operation gastritis and local inflammation of the anastomosis always develop. This condition lasts for some 6 weeks. Observations lasting one year failed to reveal alterations of the gastric mucosa. Starting from the 5th-12th day, the sutures are cut out and eliminated. Later on, those remaining behind are buried in the cicatricial tissue. After 30-40 days the operation site can be regarded as healed.

Herrmann - Lich (IX 19)

EXCERPTA MEDICA Sec 9 Vol 13/4 Surgery Apr 59

1952. CIRCULATORY DISTURBANCES OF THE INTESTINAL TRACT IN EXPERIMENTAL DISTENSION - Die Kreislaufstörungen des Darmtraktes bei experimenteller Distension - Török B. and Karlinger T. Inst. für Chir. Anat. und Operationslehre, Univ. Pécs - ZBL. CHIR. 1957, 82/48 (1976-1980)

The reaction of the vessels of the intestinal tract to distension was examined experimentally in living dogs. Circulatory disturbances due to an acute distension were caused only in those cases where the internal pressure of the intestine was higher than 35 mm. Hg. The harmful effects of distension are brought about in chronic distension by other factors as well, especially by reflex causes. The prime necessity of reduction of distension in conditions of ileus is emphasized by the experimental data.

TONCE, I., CSIZY, T.

"Thermal and dynamic strength of high-tension current transformers with steel
reference to aluminum windings." p. 117, (ELEKTROTEHNIKA, Vol. 1, No. 1, April 1952)
Budapest, Hungary)

SC: Monthly List of East European Accessions, L.C., Vol. 2, No. 11, Nov. 1953, Incl.

PAP, Janos; TOTH, Imre; IGAZI, Karoly; MAYER, Ferenc; TOROK, Bela

Serum transaminase examinations after experimental coronary ligation.
Kiserl. orvostud. 14 no.6:604-607 D '62.

1. Pecsí Orvostudományi Egyetem Sebészeti Anatómiai és Műtettani
Intézete.

(ASPARTATE AMINOTRANSFERASE) (MYOCARDIAL INFARCT)
(CORONARY VESSELS)

TOROK, Bela

HUNGARY

PAP, Janos; TOTH, Imre; IGAZI, Karoly; MAYER, Ferenc; TOROK, Bela;
Medical University of Pecs, Institute of Surgical Anatomy and Surgery
(Pecsi Orvostudományi Egyetem Sebészeti Anatómiai és Műtettani Intézete)

"Serum Transaminase Determinations After Experimental Coronary Ligatures."

Budapest, Kiserletes Orvostudomány, Vol XIV, No 6, 1962, pp 604-607.

Abstract: [Authors' German summary] The influence of various experimental surgical procedures (appendectomy, thoracotomy, pericardiectomy) as well as coronary ligatures on the SGOT activity were tested. It was found that in the first 24 hours SGOT activity was considerably elevated only in cases of coronary ligatures. The extremely high values point to severe myocardial lesion and have had prognostic significance. The primary cause of elevated SGOT activity is probably not a general stress effect (acute syndrome) but impairment of the heart muscle.

[1 Hungarian, 12 Western references]

1/1

26

TOROK, Bela; SZOLLOSSY, Laszlo; KUSTOS, Gyula; BARTOS, Gabor; TOTH, Imre;
PAP, Janos

Experimentally induced septum defects. Kiserl. orvostud. 14 no.5:
532-534 0 '62.

1. Pecsí Orvostudományi Egyetem Sebészeti Anatómiai és Műtettani
Intézete.

(HEART SEPTUM)

(HEART SURGERY)

KUSTOS, Gy., dr.; BOHENSZKY, Gy., dr.; TOROK, B., dr.; PAF, J., dr.;
TOTH, I., dr.; ARATI, E.

Multiplex myxoma in dogs. Magyar allatorv lap 19 no.5:295-296
My '64

1. Institute of Anatomy and Surgery (Director: Univ. Prof.
Dr. Tihomir Karlinger), Pecs Medical University.

BARTOS, G.; KARMOS, V.; SZOLLOSSY, L.; KUSTOS, Gy.; TOROK, B.; TOTH, I.;
TERES, Gy.

Problems of alloplastic vascular repair. I. Structure of vascular
prostheses. Acta chir. acad sci. Hung. 6 no.2:109-117 '65.

1. Institute of Surgical Anatomy and Experimental Surgery (Director:
Prof. T. Karlinger), University Medical School, Pecs.

BARTOS, G.; KARMOS, V.; SZOLLOSY, L.; KUSTOS, Gy.; TOROK, B.; TOTH, I.;
PAP, J.

Problems of alloplastic vascular repair. II. Porosity of synthetic
vascular prostheses. Acta chir. acad. sci. Hung. 6 no.2:117-127 '65.

1. Institute of Surgical Anatomy and Experimental Surgery (Director:
Prof. T. Karlinger), University Medical School, Pecs.

SZOLLOSSY, L.dr.; TOROK, B., dr.; KETT, K., dr; KUSTOS, GY., dr.

New artificial aortic valve for the surgical treatment of aortic insufficiency (preliminary report). Orv. hetil. 101 no.26:917-918 26 Je '60.

1. Pécsi Orvostudományi Egyetem, Sebészeti Anatómiai és Műtettani Intézet.
(AORTIC VALVE surg.)

TOROK, B.; KISHONYTI, T.

Serum protein changes in hibernated animals after surgery. Kiserletes or-
vostud. 10 no.4:371-377 Aug 58.

1. Pecs; Orvostudományi Egyetem Sebészeti Anatómiai és Műtettani Intézete
és Kozegészségtani Intézete.

(HIBERNATION, ARTIFICIAL, eff.

on blood protein changes following surg. in dogs (Hun))

(BLOOD PROTEINS

eff. of artif. hibernation on blood protein changes following
surg. in dogs (Hun))

SZOLOSSY, L.; TOROK, B.; HUBNER, H.

Simple method for the performance of experimental surgery on the ascending aorta. Kiserletes orvostud. 10 no.4:388-390 Aug 58.

1. Pecsí Orvostudományi Egyetem Sebészeti Anatomiái és Muttáni Intézete.
(AORTA, surg.
exper., simple technic for isolation of ascending aorta
from circ. system in dogs (Hun))

SZOLLOSSY, L.; TOROK, B.; HUBNER, H.

Possibilities of surgical treatment of aortic insufficiency; experimental study. Acta med. hung. 12 no.3-4:215-228 1958.

1. Institut for Chirurgische Anatomie und Operationslehre der Medizinischen Universität, Pecs.

(AORTIC VALVE, surg.

exper., form. from vasc. wall in dogs (Ger))

TÖRKÖS, B.

Electrical Engineering

4
Elec ②

391* Thermal and Dynamic Strength of High Voltage.
Current Transformers with Aluminum Windings. (Hun-
garian.) Béla Török and Tibor Csizy. Elektrotechnika, v. 48, no.
Aug. 1953, p. 117-125.
Compares Cu and Al wound transformers.

6/3/548

Instruments and Equipment

HUNGARY

TOROK, Bela, ORKENYI, Janos, PAPP, Istvan, TOTH, Imre; Medical University of Pecs, Institute of Surgical Anatomy and Operation Technique (Pecsi Orvostudományi Egyetem, Sebeszeti Anatómiai és Műtettani Intézet).

"Measurement of the Fibrillational Threshold by Means of a Simple Electronic Installation."

Budapest, Kiserletes Orvostudomány, Vol XIX, No 1, Jan 67, pages 71-73.

Abstract: [Authors' Hungarian summary] A method and instrument was developed by the authors for measurement of the fibrillational threshold. The supplementary electronic unit is attached to the grid of the final stage of a cardotester channel and the R wave appearing there serves as the eliciting stimulus. This in turn is used as the starting stimulus of a conventional stimulator. The fibrillational threshold can be measured with ease by means of this method. All 5 references are Western. [Manuscript received 28 Feb 66.]

Surgery

HUNGARY

TEMES, Gyula, TOROK, Bela, PAP, Janos, TOTH, Imre; Medical University of Pecs, Institute of Surgical Anatomy and Operation Technique (Pecsi Orvostudományi Egyetem, Sebészeti Anatómiai és Műtettani Intézet).

"Evaluation of a Modified Coronary Obstruction Method From the Viewpoint of Experimental Cardiac-Revascularization Operations."

Budapest, Kiserletes Orvostudomány, Vol XIX, No 1, Jan 67, pages 74-78.

Abstract: [Authors' Hungarian summary] The mortality data involving acute coronary obstruction, produced with the unopened thorax method on dogs, are examined by the authors. The mortality obtained (33 per cent) is considerably lower than that in the case of acute descendent ligature in the opened thorax (52-60 per cent). Attention is called to the importance of the descendent ligature testing method from the viewpoint of evaluation of cardiac revascularization operations. 4 Eastern European, 10 Western references. [Manuscript received 28 Feb 66.]

CARDIOVASCULAR DISEASES

HUNGARY

KUSTOS, Gyula, PAP, Janos, TOROK, Bela, TOTH, Imre, BARTOS, Gabor and TEMES, Gyula, Institute of Surgical Anatomy and Surgical Technique (Sebeszeti Anatomiai es Mutettani Intezet), College of Medicine (Orvostudomanyi Egyetem), Pecs.

"ECG, PCG and Electromanometric Studies in Experimental Mitral Insufficiency"

Budapest, Kiserletes Orvostudomany, Vol 18, No 6, 1966; pp 663-668.

Abstract: On the basis of animal experiments the ECG changes developing in acute mitral insufficiency are described. On the basis of phonocardiographic and electromanometric data three groups may be distinguished: mild, moderately severe and severe. The data obtained in medium severe and severe syndromes are characteristic, and occasionally the changes may be expressed also by means of formulas. 29 References, mainly Western. Manuscript received 28 Jan 66.

HUNGARY

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001756320016-0

TOROK, Bela; SZOLLOSSY, Laszlo; KUSTOS, Gyula; BARTOS, Gabor; TOTH, Imre; PAP, Janos; Institute of Surgical anatomy and Operative Techniques of the Medical University (Orvostudomanyi Egyetem Sebeszeti Anatomiai es Mutettani Intezet), Pecs.

"Experimental Production of Septum Defects."

Budapest, Kiserletes Orvostudomany, Vol 14, No 5, Oct 62, pp 532-534.

Abstract: [Authors' German summary] An experimental surgical procedure is described for the production of auricular and ventricular septum defects. [One Hungarian reference.]

BARTOS, Gabor, dr.; SZOLLOSSY, Laszlo, dr.; TOROK, Bela, dr.; KUSTOS, Gyula, dr. ; KARMOS, Viktor.

On practical problems of plastic materials used in vascular prosthesis. Magy. sebesz. 17 no.3:140-146 Je'64.

1. Pecsí Orvostudományi Egyetem Sebészeti Anatomiái és Műtettani Intézete (Igazgató: Prof. Karlinger, Tihamer, dr.)

TOROK, B.; TEMES, G.; TOTH, I.; PAF, J.; KJSTOS, G.; BARTOS, G.

Attempts at the improvement of cardiac blood supply. Acta chir.
acad. sci. Hung. 6 no.3:325-332 '65.

1. Institute of Surgical Anatomy and Surgery (Director: Prof.
T. Karlinger) University Medical School, Pecs. Submitted Novem-
ber 20, 1964.

TOROK, Bela, dr.

Meckel's diverticulum as a source of emergency. Orv.hetil. 101 no.
40:1425-1426 2 0 '60.

1. Pecsí Orvostudományi Egyetem, II. sz. Sebészeti Klinika
(MECKEL'S DIVERTICULUM compl.)

TOROK, Bela, dr.; KARLINGER, Tihamer, dr.; SZOLLOSZ, Laszlo, dr.

Hepato-gastrostomy in clinical practice. Orv.hetil. 100
no.48:1727-1729 N '59.

1. A Pecsí Orvostudományi Egyetem II. sz. Sebészeti Klinikájának
és Sebészeti Anatómiai és Műtettani Intézetének (igazgató:
Karlinger Tihamer dr.) közleménye.
(HEPATIC DUCT surg)
(STOMACH surg)

HUNGARY

TOROK, Dr. Bela, and BARTOS, Dr. Gabor, Institute of Surgical Anatomy and Surgery (Sebeszeti Anatomiai es Mutettani Intezet) of the College of Medicine (Orvostudomanyi Egyetem), Pecs (Director: Prof. Dr. Tihamer KARLINGER).

"Partial Heart-Muscle Replacement by Means of Plastic-Patch Graft"
Budapest, Orvosi Hetilap, Vol 19, No 5, Oct 66; pp 303-306.

Abstract: Authors experimented with the plastic tissue of the Hungarian vascular prothesis, Terital, for the replacement of the right ventricular wall (patch graft) of dogs. They found that the incorporation of the plastic was histologically identical with that of the vascular protheses. 15 References, mainly Western.

BARTOS, Gabor, dr.; KARMOS, Viktor; SZOLLOSSY, Laszlo, dr.; TOROK Bela, dr.;
KUSTOS Gyula; CZIGNER, Jero

Hungarian-made plastic vascular prostheses. Orv.hetil. 101 no.41:
1458-1459 9 0 '60.
(ARTERIES surg)
(PLASTICS)

TOROK, Csaba

Road construction for military areas. Left of page 13 no.7:
395-399 164.

TOROK, Dezsó

Some experimental results in flue dust control. Munkavédelem 9
no. 10/12:10-13 '63.

1. Scientific Research Institute of Labor Protection of the
Central Council of Hungarian Trade Unions, Budapest.

TOROK, Dezso

Data on industrial dust control. Munkavedelem 8
no.10/12:22-25 '62.

1. Szakszervezetek Orszagos Tanacsa Munkavedelmi
Tudomanyos Kutato Intezete.

TOROK, Dezso

Technical problems of dust measurement in industrial establishments.
Munkavédelem 10 no.7/9:23-25 '64.

1. Scientific Research Institute of Labor Protection of the
Central Council of Hungarian Trade Unions, Budapest.

TOROK, Dezso

Ventilation technique of industrial establishments. Munkavedelem
9 no.7/9:1-6 '63.

1. Szakszervezetek Orszagos Tanacsa Munkavedelmi Tudomanyos
Kutato Intezete.

TOROK, Dezso

Device for testing dust removers. Munkavedelem 6 no.1/3:9-12
'60.

1. Szakszervezetek Országos Tanácsa Munkavedelmi Tudományos
Kutató Intézete.

TOROK, Dezso

Newer problems and possibilities of dimensioning natural ventilation. Munkavedelem 8 no.7/9:3-10 '62.

1. Szakszervezetek Országos Tanácsa Munkavedelmi Tudományos Kutató Intézet.

TOROK, Dezso

New solutions at the establishment of dust removing installations.
Munkavedelem 8 no.4/6:1-5 '62.

1. Szakszervezetek Országos Tanácsa Munkavedelmi Tudományos Kutató
Intézete.

EXCERPT MEDICA Sec 18 Vol 3/11 Cardiovasc. dis. Nov 59

3141. A clinico-pathologic study of cor pulmonale with heart failure GOTTSEGEN G. and TÖRÖK E. Nat. Inst. of Cardiol., Budapest *Amer. J. Cardiol.* 1958, 2:4 (441-448) Tables 4

The pathogenesis and clinical picture of 67 cases of autopsied cor pulmonale with heart failure were studied. Idiopathic emphysema was present in only 30% of the cases. Such bronchopulmonary diseases as lung fibrosis, pleuropulmonary adhesions, tb and thoracic deformities especially with secondary emphysema were the remaining causes. Associated cardiovascular disease, usually coronary sclerosis, was high, and the resulting myocardial disease seemed to participate in the development of cor pulmonale with chronic pulmonary or chest disease. Smoking was not an important aetiologic factor. Dyspnoea was a frequent symptom. The progression from exertional dyspnoea to dyspnoea at rest was an important indication of cardiac failure. Stupor progressive to coma developed in most of the patients. ECGs were abnormal in almost all cases. Atrial fibrillation probably due to underlying coronary sclerosis was frequent. Polycythaemia was absent in 56 of the cases despite anoxaemia, probably reflecting the resulting anaemia from chronic pulmonary infection. A prolonged arm-to-lung and a normal arm-to-brain circulation time were found. Venous pressure was elevated in two thirds of the cases. Pathogenic bacterial flora were cultured from the sputum in one-half of the cases.

Barr - Chelsea, Mass. (XVIII, 6, 15*)

BIDLO, Gabor; TOROK, Endre, dr.

Mineralogical examination of the alluvium of the Marcal River.
Foldt kozl 93 no.2:244-247 Ap-Je '63.

TOROK, Andre, dr.

Periglacial surface frost phenomena in the Marcal Valley.
Foldrajzi ert ll no.3:406-409 '62.

HOLLOS, Attila, okleveles mernok; TOROK, Endre, okleveles technikus

Generalizable designing considerations in connection with
sewage purification in the No.VII Shaft at Rozsaszentmarten.
Banyaterv no.15:74-79 Je '63.

TOROK, Endre

Geomorphological and hydrological observations in the Marcal Valley. Hidrologiai kozlony 41 no.4:334-338 Ag'61

1. Epitoipari es Kozlekedesi Muszaki Egyetem Asvany - es Foldtani Tanszeke.

STRAUSZ, Imre, dr.; BIRO, Istvan, dr.; KALDOR, Istvan, dr.; TOROK, Eva, dr.

A case of macrocryoglobulinemia with temporarily reversible symptoms. Borgyogy.vener. szemle 40 no.1:41-47 F '64.

1. Orvostovábbképző Intezet III. Belgyógyászati Tanszék (tanszékvezető: Strausz Imre dr. egyetemi tanár) és Budapesti Orvostudományi Egyetem Bőr- és Nemikortani Klinika (igazgató: Földvari Ferenc dr. egyetemi tanár).

BIRO, Istvan, dr.; KALDOR, Istvan, dr.; TOROK, Eva, dr.; VERECKEI,
Istvan, dr.; BIRO, Ilona, dr.

Cryoglobulinemia associated with porphyria hepatica chronica
(porphyria cutanea tarda). Orv. hetil. 105. no.8:341-343
23 F'64.

1. OTKI III. Belgyogyaszati Tanszek (tanszekvezeto: Strausz, Imre,
dr.), BOTE Borgyogyaszati Klinika (igazgato: Foldvari, Ferenc,
dr.) es II. Belgyogyaszati Klinika (igazgato: Gomori Pal, dr.).

176 00 2 2007
SZABO, Laszlo, dr.; TOROK, Endre, Dr.

Hemodynamics in varicosity. Orv. hetil. 97 no.44:1222-1226
28 Oct 56.

1. A Hevesmegyei Tanacs Korhaza (Igazgato: Bocz, Sandor, dr.)
- II. Sebészeti Osztalyanak (foorvos. Poka, Laszlo, dr.) kozlomenye.
(VARICOSE VEINS, physiol.
hemodynamics (Hun))

TOROK, E.
GABOR, György, Dr.; TOROK, Eszter, Dr.

Prolongation of the electric systole (Q-T interval) in certain types of labile hypertension. Magy. belorv. arch. 11 no.1:24-28 Feb 58.

1. A Budapesti Orvostudományi egyetem III sz. Belklinikájának közleménye
(Igazgató: Gomori Pál dr. egyetemi tanár)

(HYPERTENSION, physiol.

ECG, prolongation of Q-T interval, in labile hypertension
(Hun))

(ELECTROCARDIOGRAPHY, in various dis.
hypertension, labile, prolongation of Q-T interval (Hun))

GOTTSEGEN, Gyorgy, dr.; TOROK, Eszter, dr.

Psychogenic ventricular fibrillation. Orv. hetil. 103 no.50:2361-2365 16 D '62.

1. Budapesti Orvostudományi Egyetem, IV. Belklinika, Országos Kardiológiai Intézet.

(VENTRICULAR FIBRILLATION)
(RESPIRATION)

(HYPOKALEMIA) (EMOTIONS)
(PSYCHOSOMATIC MEDICINE)

FEBRUARY

GOTTSMAN, Gyorgy, Dr; CHOK, Eszter, Dr; Medical University of Budapest, Fourth Medical Clinic, State Cardiological Institute (Budapesti Orvostudományi Egyetem, IV. Belklinika, Országos Kardiológiai Intézet)

"Psychogen Ventricular Fibrillation."

Budapest, Orvosi Hetilap, Vol 103, No 50, 16 Dec 62, pages 2361-2365.

Abstract: [Authors' summary] The authors describe a young woman with repeated attacks, since childhood, of loss of consciousness and paroxysmic ventricular fibrillation. Hypokalemia is given as causative factor and the attacks were precipitated by hyperventilation due to excitement or emotional stress. This is the first description in the literature of ventricular fibrillation of a heart without demonstrable defect, precipitated by emotional factors.

[30 Western references]

L
171

TOROK E.
GOTTSGEN, Gyorgy, Dr.; TOROK, E.aster, Dr.

Idiopathic cardiac enlargement. Orv. hetil. 99 no.21:698-703 25 May 58.

1. Az Orszagos Kardiologiai Intezet (igazgato: Gottszen Gyorgy dr.) kozlemenye.

(CARDIAC ENLARGEMENT, case reports
idiopathic (Hun))

TOROK, Endre, Dr.

Possibilities of modern anesthesiology in county hospitals. Orv. hetil.
100 no.2:81-82 11 Jan 59.

1. A Heves megye Tanácsa Kórházai (igazgató: Osvath Gabor dr.) II. sz.
Sebészeti Osztályának (főorvos: Poka László dr., az orvostudományok
kandidátusa) közleménye.

(ANESTHESIOLOGY

in county hosp. in Hungary, organiz. aspects & use of
modern methods (Hun))

PAPP, Gyula; DECSI, Laszlo; MEHES, Gyula; TOROK, Endra

Muscle relaxant properties and toxicity of glyceryl-guaiacolate associated with succinylcholine of d-tubocurarine. Kiserl. orvostud. 14 no.1:1-11 Mr '62.

1. Pecsí Orvostudományi Egyetem Gyógyszertani Intézete és I. és Sebészeti Klinikája.

(MUSCLE RELAXANTS pharmacol) (SUCCINYLCHOLINE pharmacol)
(CURARE pharmacol)

SZABO, Iaszlo, dr.,; TOROK, Andre, dr.

Periappendicular abscess with spontaneous fecal fistula. Orv.
hetil. 96 no.32:892-893 7 Aug 55.

1. A Heves Megyei Tanacs Korhaza (igazgato: Bocz Sandor dr.) II.
sz. Sebészeti Osztalyanak (főorvos: Poka Iaszlo dr.) közleménye.

(FISTULA,

fecal, in periappendicular abscess)

(ABSCSS,

periappendicular, with focal fistula)

(APPENDIX, abscess,

periappendicular, with fecal fistula)

GOTTSEGEN, Gyorgy, dr.; TOROK, Eszter, dr.

Studies on the treatment of circulatory diseases. II. Administration of vasolastine in coronary sclerosis. Orv.hetil. 101 no.44:1561-1564 30 0 '60.

1. Budapesti Orvostudományi Egyetem, IV. sz. Belklinika.
(CORONARY DISEASE ther)
(ENZYMES ther)